

2025 



INFLATABLE BOATS



Allroundmarin[®]
Alltechnik Handelsges.m.b.H

Rheinboldtstrasse 11-13, A-2362 Biedermannsdorf bei Wien
Tel.: +43 (0)2236 64676-0 Fax: +43 (0)2236 64676-76
E-Mail: office@allroundmarin.at Web: www.allroundmarin.com



For over 25 years, we have been producing high-class inflatable boats for every situation. You have a choice of 15 models ranging in length from 180 to 450cm. Most of our inflatable boats are made from PVC Dechitex Strongan 1100 material. The combination of breathtaking

driving dynamics and incredible versatility sets our inflatable boats apart. Whether it's fishing, leisure, workboats, or tenders, there's something for everyone. Browse through the pages or feel free to seek advice from our staff.

LIFE JACKETS



Allroundmarin is synonymous with onboard safety. A life jacket can save lives. Here, you'll find all Allroundmarin life jackets, including automatic, manual, buoyancy aids, and children's life vests.

CATALOG A 22/23 - S. 378-380

RAILBLAZA MOUNTING SYSTEMS



With many potential uses, you can customize your inflatable boat with various accessories. Mounting bases provide the foundation for attaching different accessories, such as tablet holders or rod holders.

CATALOG A 22/23 - S. 170-189

INFLATABLE BOAT CLEANING



Keeping your inflatable boat clean is essential for its longevity. Our maintenance products ensure you're well-equipped, whether for your inflatable boat or other materials exposed to the elements like sun, wind, and water.

CATALOG A 22/23 - S. 124-129

YUKON 350

New to our „Allroundmarin Inflatable Boats“ family is the YUKON model. This boat, due to its lightweight and the ability to fold down to a small size and fit into the included backpack, can also be considered an ideal watercraft for „water hiking“ because of its kayak-like bow design. The hard air floor, inflated to 0.6 bar, is placed on the boat's floor and secured by inflating the tubes. The floor itself is flat, and a guide keel ensures stability.

The compact size is achieved by making the wooden transom of the boat, which holds the motor, only 30 cm wide and supplementing it with two short inflatable stern tubes.



Features:

The YUKON model comes with oarlocks and oars, as well as two benches. This boat is made from a new and very stable PVC material with 1100 DeciTex lightweight fabric inserts.

Replacement:

- Seat bench front for Yukon grey **97 8475**
- Seat bench front for Yukon green **97 8476**
- Seat bench back for Yukon grey **97 8477**
- Seat bench back for Yukon green **97 8478**

| YUKON | 350 |
|----------------------|----------------|
| Overall length | 348 cm |
| Overall width | 150 cm |
| Tube diameter | 41 cm |
| Air chambers | 4 |
| Weight | 28 kg |
| Load capacity | 500 kg |
| Number of persons | 4,5 |
| Max. KW / HP | 4,5/6 |
| Order no. light grey | 97 8070 |
| Order no. green | 97 8072 |

BELLY BOATS

Our belly boats are versatile, durable, compact, and easy to transport, making them ideal for fly fishermen.

| | |
|-------------------|-----------|
| Belly Boat | 170 |
| Colour | olivgreen |
| Overall length | 173 cm |
| Overall width | 120 cm |
| Tube diameter | 35 cm |
| Air chambers | 3+2 |
| Weight | 13,2 kg |
| Load capacity | 160 kg |
| Motor mount | inclusive |
| Railblaza bases | 2 Piece |
| Carry straps | inclusive |
| Number of persons | 1 |
| Order no. | 97 7970 |

Errors and technical modifications excepted. Steering and motor not included in the price.

The delivery for all three models includes removable rudders, recessed valves, various attachment loops, side pockets, and a swing-out platform for easy access. A bellows, repair kit, and carrying bag are also included in the delivery.

Our **Belly Boats 170** come with Railblaza Ribports. Additionally, you will find pre-glued motor mounting bases at the bow. The removable and adjustable high-pressure air seat is also included. The olive green belly boat is equipped with a motor mount. This must be ordered separately for the green one. Both 170 models have backpack carrying straps on the underside of the boat. The practical PVC bag set is optionally available.

| | |
|--------------------------------|-------------|
| | Bestell Nr. |
| PVC bag set for Belly Boat 170 | 97 7983 |



Base to raise the seating position in the belly boat.

| | |
|--------------|-----------|
| Accessories | Order no. |
| Seat cushion | 97 6863 |

++ The tilting of the motor head is necessary to operate the motor properly next to the seat.

This motor mount is specially designed for our Belly Boat 170 and can be attached to the pre-glued bases at the bow.

| | |
|-----------------------------------|-----------|
| Accessories | Order no. |
| Motor mount f. Model 170 green | 97 7973 |



PVC bag set





JOLLY GS

There are several good reasons to choose one of these tender boats. They are small and light, and thanks to the flat rolling bottom, these boats always sit securely and stably on the deck of your yacht. The shore or a dock is quickly accessible for landing at any time to take care of necessary errands. They are essential small dinghies at sensational prices that can also be quickly packed and stowed away.



Replacement:

| | | |
|------------|------------------------|----------------|
| Seat bench | Jolly GS 195/225 grey | 97 8115 |
| Seat bench | Jolly GS 195/225 green | 97 8478 |
| Seat bench | Jolly GS 255 grey | 97 8116 |
| Seat bench | Jolly GS 255 green | 97 8335 |



| JOLLY GS | GS-195 | GS-225 |
|----------------------|----------------|----------------|
| Overall length | 197 cm | 225 cm |
| Overall width | 131 cm | 131 cm |
| Tube diameter | 35 cm | 35 cm |
| Air chambers | 2 | 3 |
| Weight | 17 kg | 21 kg |
| Load capacity | 250 kg | 270 kg |
| Number of persons | 1,5 | 2,5 |
| Max. KW / HP | 3 / 4 | 3 / 4 |
| Max. motor weight | 36 kg | 36 kg |
| Order no. light grey | 97 8005 | 97 8006 |
| Order no. green | 97 8013 | 97 8014 |

Errors and technical modifications excepted | The specified boat weights only apply to the hull, excluding removable parts and accessories such as oars, seat bench, bellows, etc.

JOLLY MW

These particularly robust „JOLLY“ inflatable boats with comfort features like recessed valves, sturdy oars, and high-strength material are popular boats for leisure and sports. They are also widely used as tenders for yachts. The roll-up slatted floor makes the boat ready for use in the water within minutes when needed.

All boats come complete with a foot pump, collapsible oars, a wooden seat bench, and a repair kit!

A carrying bag is provided free of charge.



| JOLLY MW | 200 | 220 | 240 | 260 |
|-------------------|-----------|-----------|-----------|-----------|
| Overall length | 200 cm | 220 cm | 240 cm | 258 cm |
| Overall width | 150 cm | 150 cm | 155 cm | 155 cm |
| Tube diameter | 42,5 cm | 42,5 cm | 42,5 cm | 42,5 cm |
| Air chambers | 2 | 2 | 2 | 2 |
| Weight | 18,5 kg | 19,3 kg | 22,0 kg | 24,0 kg |
| Load capacity | 350 kg | 380 kg | 410 kg | 450 kg |
| Number of persons | 2 | 2,5 | 3 | 3,5 |
| Max. KW / HP | 3,7 / 5,0 | 3,7 / 5,0 | 4,5 / 6,0 | 4,5 / 6,0 |
| Max. motor weight | 40 kg | 40 kg | 40 kg | 40 kg |
| Order no. grey | 97 7900 | 97 7901 | 97 7902 | 97 7903 |

Errors and technical modifications excepted.



Fishing inflatable boats - green - come with an additional 2 mounting bases and 2 seat boards. The Jolly MW 260 is also supplied with 2 Velcro straps.

Replacement:

- Seat bench Jolly MW 200 grey 97 8479
- Seat bench Jolly MW 220-260 grey 97 8116

JOLLY CARBON 180

WITH CARBON SLAT FLOOR.

The Jolly Carbon 180 is the breakout of the popular and long-standing Angel-Jolly series. New features make this inflatable boat something special and even more practical. Above all, the Jolly Carbon can convince with its weather resistance and ease of care.

The seatboard is now even more stable and resistant to saltwater and weather due to the material change from wood to carbon. It can be adjusted continuously to adapt to the situation. The wooden slats have also been replaced with carbon boards. Additional highlights include the PVC-coated transom and reinforced rubbing strakes on the underside of the tube. Now, all that's left are the Railblaza fishing rod holders, and the Jolly Carbon will be well-prepared for your next fishing trip.



| JOLLY Carbon | 180 |
|-------------------|-----------|
| Overall length | 185 cm |
| Overall width | 131 cm |
| Tube diameter | 35 cm |
| Air chambers | 2 |
| Weight | 15 kg |
| Load capacity | 180 kg |
| Number of persons | 1,5 |
| Max. KW / HP | 3,0 / 4,0 |
| Max. motor weight | 36 kg |
| Order no. green | 97 7960 |
| Order no. grey | 97 7961 |

Errors and technical modifications excepted.

Seat bench for Jolly Carbon 97 8684



AIRSTAR

AirStar, our family models! Allroundmarin has created a fresh type of boat with its „AirStar“ boats that precisely meet the demands of modern water mobility: sporty and functional, intelligent and efficient. The assembly is remarkably easy. And, most importantly, a price-performance ratio that won't strain your leisure and vacation budget.

WITH A HARD AIR FLOOR.

| AIRSTAR | 200 | 230 | 260 | 300 | 320 |
|-------------------|-----------|---------|---------|---------|----------|
| Overall length | 202 cm | 225 cm | 262 cm | 296 cm | 317 cm |
| Overall width | 141 cm | 132 cm | 140 cm | 154 cm | 154 cm |
| Tube diameter | 40 cm | 35,5 cm | 37 cm | 43 cm | 43 cm |
| Air chambers | 2+2 | 3+1 | 3+1 | 3+2 | 3+2 |
| Weight | 18 kg | 18 kg | 21,5 kg | 31,5 kg | 33 kg |
| Load capacity | 261 kg | 290 kg | 355 kg | 520 kg | 600 kg |
| Number of persons | 2 | 2 | 3 | 4 | 4,5 |
| Max. KW / HP | 2,5 / 3,4 | 3 / 4 | 4,5 / 6 | 6,0 / 8 | 7,4 / 10 |
| Max. motor weight | 24 kg | 36 kg | 40 kg | 55 kg | 55 kg |

Order no. light grey

97 8008⁺⁺

97 7921

97 7922

97 7917⁺

97 7918⁺

Order no. green

Errors and technical modifications excepted.
⁺⁺Airstar 200 without cover, bow bag and hanging bag.

⁺Airstar 300 & 320 green come with 2 seat boards and 2x Railblaza Ribports.
 Errors and technical modifications excepted



Basic equipment:

Removable seat, collapsible oars, lifelines, tow rings, recessed valves, foot pump, and repair kit. A carrying bag is also included for free.

All models with V-Hull get: a cover, bow bag and a hanging bag free of charge.

978008 ▼



977921 ▼



Replacement:

Seat bench Airstar 230 grey

97 8115



VARIO DELUXE 390


WITH HIGH-PRESSURE AND/OR ALUMINUM FLOOR

This new version of the Vario models comes with a new camouflage color scheme, allowing you to blend in while gliding over the water during your fishing trips. It is equipped with the same comprehensive features as the green Vario models (as seen on pages 276-277). It leaves no wishes unfulfilled: double rub strakes, pre-glued mounting eyes for an optional bow platform, 6 Railblaza bases, anti-slip coating on the bow board, and much more.



YOUR LOYAL COMPANION.
THE VARIO DELUXE 390.
Spacious, versatile, designed for long sessions.
WATCH NOW on our YouTube-Channel!

INFLATABLE BOAT VARIO WITHOUT FLOOR



| | |
|-----------------------------|----------------|
| VARIO | 390 |
| Overall length | 379 cm |
| Overall width | 173 cm |
| Tube diameter | 45 cm |
| Air chambers | 3+1 |
| Weight* | 50 kg |
| Load capacity | 780 kg |
| Number of persons | 5,5 |
| Max. KW / HP | 18,7/25 |
| Max. motor weight | 83 kg |
| Order no. Camouflage | 97 7948 |


| | |
|----------------------|----------------|
| Floor options | 390 |
| high-pressure floor | 97 7959 |
| Weight | 11 kg |
| Aluminum floor | 97 7956 |
| Weight | 35 kg |

* Weight is just the boat without the floor

Anti-slip mat
optionally available
97 8515



Spare / additional seat bench **97 8656**



Bow platform for bow motors or anchor winches for Vario green **90 1318**

Errors and technical modifications excepted.



VARIO

WITH HIGH-PRESSURE AND/OR ALUMINUM FLOOR

These Allroundmarin inflatable boats offer more than meets the eye! The Vario series is an evolution of the popular JokerMax! Features like the extra width of up to 173cm, the inflatable V-shaped keel, and the infinitely adjustable seat boards remain. It's more than just an inflatable boat; it's a partner for your vacation, fishing, and leisure activities!



CHOOSE A SIZE, A COLOR, AND THE DESIRED FLOOR TYPE:

Red models with 4 air chambers!

| VARIO | 320 | 360 | VARIO | 320 | 360 | VARIO | 320 | 360 |
|-------------------|---------|---------|-------------------|---------|---------|-------------------|---------|---------|
| Overall length | 325 cm | 356 cm | Overall length | 325 cm | 356 cm | Overall length | 325 cm | 356 cm |
| Overall width | 170 cm | 173 cm | Overall width | 170 cm | 173 cm | Overall width | 170 cm | 173 cm |
| Tube diameter | 44 cm | 45 cm | Tube diameter | 44 cm | 45 cm | Tube diameter | 44 cm | 45 cm |
| Air chambers | 4+1 | 4+1 | Air chambers | 3+1 | 3+1 | Air chambers | 3+1 | 3+1 |
| Weight* | 34 kg | 41 kg | Weight* | 34 kg | 41 kg | Weight* | 34 kg | 41 kg |
| Load capacity | 750 kg | 850 kg | Load capacity | 750 kg | 850 kg | Load capacity | 750 kg | 850 kg |
| Number of persons | 4 | 5 | Number of persons | 4 | 5 | Number of persons | 4 | 5 |
| Max. KW / HP | 11,2/15 | 15/20 | Max. KW / HP | 11,2/15 | 15/20 | Max. KW / HP | 11,2/15 | 15/20 |
| Max. motor weight | 60 kg | 60 kg | Max. motor weight | 60 kg | 60 kg | Max. motor weight | 60 kg | 60 kg |
| Order no. red | 97 7933 | 97 7932 | Order no. grey | 97 7928 | 97 7931 | Order no. green | 97 7929 | 97 7930 |

| Floor options | 320 | 360 |
|---------------------|-----------|---------|
| High-pressure floor | 97 7937** | 97 7936 |
| Weight | 4,5 kg | 5,9 kg |
| Aluminum floor | 97 7940** | 97 7939 |
| Weight | 19,3 kg | 28,0 kg |

The high-pressure air floor comes with an additional pressure gauge. The aluminum floor includes an extra storage bag in the package.

Replacement:


Seat bench for all Varios

97 8656

** for models from 2020, others on request * Weight of the boat without the floor Errors and technical modifications excepted.



INFLATABLE BOAT VARIO WITHOUT FLOOR



The equipment of the Vario models speaks for itself! Raiblaza Ribport brackets on the tubes (4 on the gray and red models, 6 on the green model) can be used to mount Biminis, rod holders, ladders, and much more. They have 4 Velcro straps on the inside for securing paddles or rods and an adjustable seatboard. For better handling, there are two additional handles at the stern. Three reinforced rubbing strips on the bottom of the boat ensure an even longer lifespan. The 360 models have a double rubbing strip on the sides. The green models additionally have 4 pre-glued mounting eyelets for an optional bow platform. The red Vario is perfect for water rescue operations or diving trips because it meets the requirements of fire departments, as well as the standards E DIN EN ISO 6185-1 to E DIN ISO 6185-3. Also, the EU Directive 2013/53/EU, as with all other Allroundmarin inflatable boats.

You can choose between a high-pressure air floor and an aluminum floor. However, an additional floor for different conditions is also possible. Please note that the floor must always be ordered separately from the boat! The hard inflatable keel, which gives the boats high stability and tracking performance, is standard on all VARIO models.


3 additional rubbing strips



Adjustable seatboard




Double rubbing strips




Rear carrying handles




Included Railblazer Ribports for various mounting systems



Folding inflatable boat ladder for Railblaza mounts, 2+1 rungs, without Ribports **56 3243**



Anti-slip mat for Vario 320 **97 8510**
Anti-slip mat for Vario 360 **97 8514**



the bow platform for bow mount motors or winches for the green Vario model **90 1318**



VARIO 300 PRO

The perfect boat for carp anglers and catfish hunters! Optimized through years of tough practical experience, the olive-green Vario 300 impresses with ingenious features. The interior width of 80cm provides space for all your tackle.

The recessed transom not only extends the interior length to a whopping 2.17m but also ensures carefree fun during the fight. The popular „Vario concept“ means more choices for you: you can choose between a lightweight high-pressure air floor and a

stable aluminum floor. Both are in a discreet midnight black, just like the paddles.

Safety first: a robust, 20cm wide chafing strip runs completely around the underside, and an additional one is on the outside for the best protection.

Thanks to the smooth design with sturdy soft handles in perfect locations but without unnecessary eyelets, your line always glides cleanly along the outside of the Vario PRO, providing you with fantastic fishing fun.

This Vario is also available in gray with the same equipment.

Basic equipment:

2 removable, adjustable carbon seats, 2 detachable oars, tie-down lines, recessed valves, high-pressure air pump, carrying bag, and repair kit.



AVAILABLE IN 2 COLORS!



| VARIO 300 PRO | |
|-------------------|-------------|
| Overall length | 301 cm |
| Overall width | 162 cm |
| Tube diameter | 41 cm |
| Air chambers | 3+1 |
| Weight * | 29 kg |
| Load capacity | 610 kg |
| Number of persons | 4 |
| Max. KW / HP | 11,2 / 15,0 |
| Max. motor weight | 60 kg |
| Order no. oliv | 97 7920 |
| Order no. grey | 97 7919 |

Errors and technical modifications excepted. *Weight of the boat without the floor

Please choose a color and the desired floor!

| Floor options | |
|---------------------|---------|
| High-pressure floor | 97 7934 |
| Weight | 7,2 kg |
| Aluminum floor | 97 7941 |
| Weight | 20,4 kg |


CHOOSE FROM 2 FLOORS:



AND OR



Anti-slip mat available as an option **97 8516**



With the Vario concept, you can choose between a sturdy aluminum floor for a secure standing position with an anti-slip coated bow board and the brilliantly quick-to-set-up high-pressure air floor with a carbon stabilizing board.

Both floors come in completely in midnight black. For continuous use, there is also an optional custom-fit protective mat for the Vario 300 PRO to protect the floor from damage or to dampen sound.

All the highlights of the Vario 300 PRO:


- Welded seams – not glued
- Thoughtful design derived from practical experience
- Spacious interior (80cmx217cm)
- Anti-slip coated bow board
- Carbon seat boards (2 pieces)
- Black floor and paddles
- Aluminum or high-pressure air floor
- Sturdy soft grips in perfect locations



Anti-slip coating on the bow board of the aluminum floor




Soft handles in ideal locations, short stern cones for easy maneuvering during the fight



Two carbon seat boards included



Rust-free carrying and towing eye made of reinforced plastic on the bow



FISHING TO THE HIGHEST STANDARDS.
Experience our flagship Vario 300 Pro on our YouTube-Channel!



Boat cover grey for Vario 300 Pro **97 8410**



Poker 380 grey/black



STEERING CONSOLE FOR INFLATABLE BOATS

This steering console is made of stainless steel and designed for floor mounting. A motor control box can also be installed. **56 8000**



Poker 430 & 460 grey



POKER

WITH DETACHABLE ALUMINUM FLOOR

Our Poker models are an evolution similar to the AS models. They are slightly wider in the bow area and feature particularly sturdy side bracing on the aluminum floor panels to prevent the boat from twisting. The inflatable keel provides stability during turns.

Due to their size, these boats come equipped with two seat boards and two carrying handles each in the bow and stern sections. For the safety of passengers, the models 430 and 460 also have two additional grab handles in the inner area of the boat.

With the appropriate motorization, you'll experience breathtaking driving dynamics and discover a new driving sensation.

The new Poker in the size 380 in gray/black comes with additional rubbing strakes on the tubes and 4 Railblaza Ribport mounts for oars, bimini, or other equipment. However, it is delivered without interior handles and gunwale.

| POKER | 380 | 430 | 460 |
|---|----------------|----------------|----------------|
| Overall length | 379 cm | 418 cm | 448 cm |
| Overall width | 173 cm | 201 cm | 201 cm |
| Tube diameter | 45 cm | 53 cm | 53 cm |
| Air chambers | 3+1 | 5+1 | 5+1 |
| Weight | 69 kg | 91 kg | 97 kg |
| Load capacity | 780 kg | 1000 kg | 1100 kg |
| Number of persons | 5,5 | 7 | 8 |
| Max. KW / HP | 18,4 / 25 | 23 / 30 | 23 / 30 |
| Max. motor weight | 83 kg | 90 kg | 90 kg |
| Order no. grey Transom size 38 cm for short shaft motor | 97 8042 | 97 8046 | 97 8048 |
| Order no. grey Transom size 51 cm for long shaft motor | | 97 8047 | |

Errors and technical modifications excepted | Steering and motor not included in the price.

Replacement:

Seat bench for Poker 380, black **97 8117B**
 Seat bench for Poker 430-460, grey **97 8114**



OUR „FISHING FLAGSHIP“ MODEL POKER

AND ITS SLIGHTLY SMALLER SIBLINGS WITH A DETACHABLE ALUMINUM FLOOR

The Poker model range is in a class of its own! An inflatable V-keel provides stability in turns, and the robust side bracing on the detachable aluminum floor panels prevents twisting of the boat, even in rough waves.

In addition to the equipment of the gray Poker models, the green models already have four mounting eyes on the bow for attaching the optional bow platform (No. 901318, more information in Catalog F). MINN KOTA bow motors can be used there. Bow motors offer many advantages to anglers.

An extensive equipment package including two benches, two carrying handles in the bow and stern areas, four Velcro straps on the inner tubes for securing boat hooks, fishing rods, etc., as well as two RAILBLAZA Ribports for holding fishing rod holders, platforms for fish finders, mobile phone holders, etc., completes the special equipment. For the safety of passengers, there are also additional handrails in the inner area of the boats, in addition to the safety lines.

Replacement:

Seat bench for Poker 380, green
Seat bench for Poker 430, green

97 8117G
97 8133

| POKER | 380 | 430 |
|------------------------------------|----------------|----------------|
| Overall length | 379 cm | 418 cm |
| Overall width | 173 cm | 201 cm |
| Tube diameter | 45 cm | 53 cm |
| Air chambers | 3+1 | 5+1 |
| Weight | 69 kg | 91 kg |
| Load capacity | 780 kg | 1000 kg |
| Number of persons | 5,5 | 7 |
| Max. KW / HP | 18,4 / 25 | 23 / 30 |
| Max. motor weight | 83 kg | 90 kg |
| Order no. green Transom size 38 cm | 97 8044 | 97 8045 |

Errors and technical modifications excepted | Steering and motor not included in the price.





POKER HEAVY DUTY

EQUIPPED WITH NUMEROUS EXTRAS, ESPECIALLY DESIGNED FOR RESCUE ORGANIZATIONS OR DIVING.

We have developed a special working inflatable boat with many extras for fire departments and rescue organizations from our „POKER“ model series.


These boats comply with the requirements of fire departments for inflatable boats according to point 5.2.2.1 of the Standards Committee for Fire Services, March 2001. They are built according to E DIN EN ISO 6185-1 to E DIN ISO 6185-3, as well as the EU Directive 2013/53/EU (required for CE conformity declaration for sports boats).

An inflatable V-keel provides stability for the boats in turns, and the robust side reinforcements on the detachable aluminum floor panels prevent any twisting of the boats, even in rough seas. The thick tubes with diameters of 45 or 53 cm ensure a high buoyancy and load capacity. Numerous extras, such as sturdy and wide rubbing strakes, strong carrying handles, a gunwale with eyelets and long restraint loops, grip bands on both sides in the bow area, webbing loops and Velcro straps on the inside of the boats for securing objects, a bollard with a rope clamp at the bow, as well as attachment rings in the bow area, both inside and outside, complete the boats' special suitability for diving and for rescue organizations. Two seat boards are included.



Volunteer Fire Department Oberwaltersdorf

Get the complete insight even in murky waters or at night! HUMMINBIRD brings you surprisingly clear, photo-like images of structures on the bottom, objects floating or submerged in the water, or fish. You can search an area in minutes, which would take you hours with a conventional sonar device. With a single button press on your screen, you can lock in the GPS position of a promising structure and return to that spot at any time. For more information and details about HUMMINBIRD, please refer to our catalog F.



Austrian Water Rescue State Association Burgenland - Pöttching






Volunteer Fire Department Oberwaltersdorf



Volunteer Fire Department Oberwaltersdorf



**POKER HEAVY DUTY -
A BOAT FOR RESCUERS!**
The first choice of water rescue
services and diving organizations.
WATCH NOW on our YouTube-
Channel!



THE EXTRAS:

- » Strong and wide rubbing strakes protect the boats from impacts against walls or objects.
- » The bottom of the boat is additionally covered with long rubbing protection strips.
- » Sturdy handles on both sides allow for quick land transport by multiple people, even when the boat is loaded with equipment.
- » A coaming with eyelets and long lifelines provides a secure holding point for both rescue personnel in the boat and individuals in the water.
- » Since rescue operations often occur from the bow, grip bands on the sides in the bow area offer a secure grip for rescue personnel.
- » Inside the boat, there are webbing loops to secure objects such as scuba tanks.
- » Velcro straps on both sides inside the boat can be used to fasten items like boat hooks.
- » At the bow, there is a bitt with a rope clamp for securing an anchor line.
- » Fastening rings in the bow area, both inside and outside, can be used to secure objects or the ends of throw lines with lifebuoys.

Replacement:

Seat bench for Poker HD 380, black
Seat bench for Poker HD 430, black

97 8117B
97 8132

| POKER Heavy Duty | 380 | 430 | 460 |
|---|----------------|----------------|----------------|
| Overall length | 379 cm | 418 cm | 448 cm |
| Overall width | 173 cm | 201 cm | 201 cm |
| Inside length | 254 cm | 308 cm | 332 cm |
| Inside width | 81 cm | 95 cm | 95 cm |
| Tube diameter | 45 cm | 53 cm | 53 cm |
| Air chambers | 4+1 | 5+1 | 5+1 |
| Weight | 69 kg | 91 kg | 97 kg |
| Load capacity | 780 kg | 1000 kg | 1100 kg |
| Number of persons | 5,5 | 7 | 8 |
| Max. KW / HP | 18,4 / 25 | 23 / 30 | 23 / 30 |
| Max. motor weight | 83 kg | 90 kg | 90 kg |
| Order no. Transom size 38 cm for short shaft | 97 8052 | 97 8053 | 97 8064 |
| Order no. Transom size 51 cm for long shaft | | 97 8051 | 97 8065 |

Subject to technical changes. Diving equipment, lifebuoy, boat hook, anchor, etc. not included.



KIWI

WITH A FOLDING WOODEN FLOOR

Model Allroundmarin KIWI

... are our new and budget-friendly inflatable boats with an inflatable V-shaped keel, folding wooden floor (without side aluminum strips), and an anchor/line guide at the bow. The seat board is continuously adjustable to take the most convenient fishing or rowing position. A second seat board is available as an option. An ideal boat for every hobby angler, as well as leisure and nature enthusiasts.



Basic equipment:

Removable seat, collapsible oars, lifelines, towing rings, recessed valves, foot pump, and repair kit. Also, a carrying bag is included at no extra cost.

| KIWI | 249 | 280 | 300 | 320 |
|----------------------|---------|----------|----------|-----------|
| Overall length | 249 cm | 280 cm | 298 cm | 318 cm |
| Overall width | 151 cm | 155 cm | 153 cm | 154 cm |
| Tube diameter | 42 cm | 43,5 cm | 43 cm | 43,5 cm |
| Air chambers | 3+1 | 3+1 | 3+1 | 3+1 |
| Weight o. Verpackung | 32,6 kg | 38,3 kg | 40,3 kg | 43,7 kg |
| Load capacity | 430 kg | 500 kg | 500 kg | 600 kg |
| Number of persons | 3 | 3,5 | 4 | 4,5 |
| Max. kW / HP | 4,5 / 6 | 7,4 / 10 | 7,4 / 10 | 11,2 / 15 |
| Max. motor weight | 40 kg | 55 kg | 55 kg | 60 kg |
| Order no. grey | 97 6023 | 97 6019 | 97 6020 | 97 6021 |
| Order no. green | 97 6022 | 97 6016 | 97 6017 | 97 6018 |

Errors and technical modifications excepted. .



Additional floors

Folding wooden floor grey for:

| | |
|----------|---------|
| Kiwi 249 | 97 8835 |
| Kiwi 280 | 97 8828 |
| Kiwi 300 | 97 8829 |
| Kiwi 320 | 97 8830 |

Folding wooden floor green for:

| | |
|----------|---------|
| Kiwi 249 | 97 8834 |
| Kiwi 280 | 97 8831 |
| Kiwi 300 | 97 8832 |
| Kiwi 320 | 97 8833 |

High pressure air floor for:

| | |
|----------|---------|
| Kiwi 249 | 97 6005 |
| Kiwi 280 | 97 6006 |
| Kiwi 300 | 97 6007 |
| Kiwi 320 | 97 6008 |

Non-slip protective mats

| | |
|----------|---------|
| Kiwi 249 | 97 8420 |
| Kiwi 280 | 97 8422 |
| Kiwi 300 | 97 8423 |
| Kiwi 320 | 97 8426 |

Replacement:

| | | |
|-------------------|--------------------|----------|
| Seat bench | for all Kiwi green | 97 8134G |
| Seat bench | for all Kiwi grey | 97 8134 |
| Carbon-Seat bench | for Kiwi 260 black | 97 8683 |



KIWI 260 & KIWI 249

WITH A FOLDING WOODEN FLOOR, HIGH PRESSURE AIR FLOOR OR ALUMINIUM FLOOR

This Kiwi 260 special model does not have a bow roller, but the stern mirror is coated with PVC, and the wooden seat board has been replaced with a carbon seat board. It is also possible to complement the equipment with a high-pressure air floor (976003).



Non-slip protective mats

| for Model / Size | Order no. |
|------------------|-----------|
| Kiwi 260 | 97 8421 |
| Kiwi 249 | 978420 |

| KIWI | 260 | 260 |
|------------------------------|----------|----------|
| Overall length | 263 cm | 263 cm |
| Overall width | 153 cm | 153 cm |
| Tube diameter | 43 cm | 43 cm |
| Air chambers | 3+1 | 3+1 |
| Weight of packing | 34 kg | 34 kg |
| Load capacity | 500 kg | 500 kg |
| Number of persons | 3,5 | 3,5 |
| Max. kW / HP | 7,4 / 10 | 7,4 / 10 |
| Max. motor weight | 55 kg | 55 kg |
| With folding wooden floor | ✓ | - |
| With high pressure air floor | - | ✓ |
| Order no. grey 2024 | 97 5997 | 97 5998 |
| Order no. olive 2024 | 97 5995 | 97 5996 |

All new 2024 models are equipped with a rubbing stripe on the underbody and black paddles.

| KIWI | 249 | 249 |
|------------------------------|---------|---------|
| Overall length | 249 cm | 249 cm |
| Overall width | 151 cm | 151 cm |
| Tube diameter | 42 cm | 42 cm |
| Air chambers | 3+1 | 3+1 |
| Weight of packing | 32,6 kg | 32,6 kg |
| Load capacity | 430 kg | 430 kg |
| Number of persons | 3 | 3 |
| Max. kW / HP | 4,5/ 6 | 4,5/ 6 |
| Max. motor weight | 40 kg | 40 kg |
| With folding wooden floor | ✓ | - |
| With high pressure air floor | - | ✓ |
| Bestell Nr. oliv 2024 | 97 6000 | 97 5999 |

Alle neuen Modelle 2024 sind mit einer Scheurleiste am Unterboden ausgestattet und die Ruder sind in schwarz.

Additional floors

| | |
|---|---------|
| Aluminum floor for Kiwi 260 grey | 97 6004 |
| Aluminum floor for Kiwi 260 green | 97 6009 |
| Folding wooden floor black for Kiwi 260 | 97 8494 |
| High-pressure floor for Kiwi 260 | 97 6003 |
| Folding wooden floor black for Kiwi 249 | 97 8850 |
| High-pressure floor for Kiwi 249 | 97 6010 |

* As long as stocks last | Errors and technical modifications excepted.



„Dynamic“ speaks more than a thousand words.

DYNAMIC

The name „Dynamic“ stands for itself and speaks for itself without the need for lengthy explanations. „Dynamic“ is a new development that will amaze you. The super-lightweight of these boats is a result of breaking new ground in the world of inflatable boats. The V-shaped bottom of these boats is designed as a hard air floor, inflated to 0.8 bar. This V-shaped hull with integrated trim tabs gives the boat near-wing-like stability, as its performance in fast turns is comparable to boats with a solid fiberglass hull. The key difference is the reduced weight, which results in impressive speed and agility. These boats are a dream come true for water sports enthusiasts!

These trim tabs provide additional stability to the boat!



The Dynamic models 220 to 310 come in light gray with a dark gray grip strip. Models 350 to 420 feature a light gray/dark gray diagonal pattern and are equipped with a so-called sharkskin on the bottom for faster planing. The Dynamic 420 boasts a 100 mm thick hard air floor, ensuring the highest stability despite its size. Sizes 220 to 380 are now equipped with Davit lifting eyes for easy lifting of the boats.

| DYNAMIC | 220 | 260 | 310 | 350 | 380 |
|----------------------------|----------------|----------------|----------------|----------------|----------------|
| Overall length | 221,0 cm | 256,5 cm | 310,0 cm | 349,0 cm | 376,0 cm |
| Overall width | 136,5 cm | 157,0 cm | 156,0 cm | 170,0 cm | 170,0 cm |
| Tube diameter | 37,5 cm | 42,5 cm | 43,5 cm | 44,5 cm | 44,0 cm |
| Air chambers | 5 | 5 | 5 | 5 | 5 |
| Weight | 22,8 kg | 29,7 kg | 31,5 kg | 42,0 kg | 47,6 kg |
| Load capacity | 415 kg | 610 kg | 620 kg | 900 kg | 950 kg |
| Number of persons | 2,5 | 3 | 3,5 | 5 | 5,5 |
| Max. KW / HP | 3,7 / 5 | 6,0 / 8 | 7,4 / 10 | 11,2 / 15 | 18,7 / 25 |
| Max. motor weight | 40 kg | 55 kg | 55 kg | 60 kg | 83 kg |
| Order no. light-/dark grey | 97 7990 | 97 7991 | 97 7992 | 97 7988 | 97 7989 |

Errors and technical modifications excepted.

Replacement:

| | | |
|------------|----------------------|----------------|
| Seat bench | for Dynamic 220 | 97 8115 |
| Seat bench | for Dynamic 260, 310 | 97 8116 |
| Seat bench | for Dynamic 350&380 | 97 8334 |



Model 220 - 310 with a red stripe included





AS BUDGET

TRANSLATES TO „WITH A DETACHABLE ALUMINUM FLOOR AND AN INFLATABLE V-KEEL

Of course, these ‚budget‘ boats come with all the prerequisites to meet your desires regarding material, equipment, and handling. They are boats designed for smooth and swift gliding. You'll also discover a price that is reason enough to opt for one of these boats.

Basic equipment:

Detachable aluminum floor, aluminum reinforcements on the inner sides, removable seat, detachable oars, towing lines, recessed valves, rubbing strake, foot pump, and repair kit. Additionally, a carrying bag is provided for free. The green models come with an extra seat.



| AS BUDGET | 300 | 320 |
|----------------------|----------|-----------|
| Overall length | 298 cm | 318 cm |
| Overall width | 153 cm | 154 cm |
| Tube diameter | 43,0 cm | 43,5 cm |
| Air chambers | 3+1 | 3+1 |
| Weight | 38,9 kg | 48,5 kg |
| Load capacity | 500 kg | 600 kg |
| Number of persons | 4 | 4,5 |
| Max. KW / HP | 7,4 / 10 | 11,2 / 15 |
| Max. motor weight | 55 kg | 60 kg |
| Order no. light grey | 97 8032 | 97 8033 |
| Order no. green | 97 8010 | 97 8011 |

Errors and technical modifications excepted.

Replacement:

| | | |
|------------|---------------------|---------|
| Seat bench | for AS Budget grey | 97 8116 |
| Seat bench | for AS Budget green | 97 8335 |





Breathtaking driving, dynamics
and maximum driving comfort...

RIBSTAR WITH GLASS FIBER V-HULL

These inflatable boats of the „RIBSTAR“ model range, with their double-walled V-hull construction seamlessly connected to the transom, ensure stable driving comfort with excellent steering control. D-rings for mooring and ring-eyelets at the rear and in the hull floor at the bow allow for lifting the boat.



| RIBSTAR | 220 | 240 | 290 | 320 |
|-------------------|----------------|----------------|----------------|----------------|
| Overall length | 224,0 cm | 243,0 cm | 285,0 cm | 323,0 cm |
| Overall width | 152,5 cm | 155,5 cm | 154,0 cm | 152,0 cm |
| Tube diameter | 39,0 cm | 41,0 cm | 41,5 cm | 42,0 cm |
| Air chambers | 3 | 3 | 3 | 3 |
| Weight | 34,9 kg | 43,3 kg | 46,5 kg | 52,5 kg |
| Load capacity | 350 kg | 460 kg | 510 kg | 600 kg |
| Number of persons | 3 | 3 | 3 | 3,5 |
| Max. KW / HP | 3,7 / 5,0 | 4,5 / 6,0 | 7,4 / 10 | 11,2 / 15 |
| Max. motor weight | 40 kg | 40 kg | 55 kg | 60 kg |
| Order no. | 97 8054 | 97 8055 | 97 8056 | 97 8057 |

Errors and technical modifications excepted.




Replacement:

Seat bench for Ribstar 240-320

97 8337



+ Optional: **Jockey seats** for flat-bottomed boats. Suitable for steering installation. For RIBSTAR PRO 350. Optional.
(L=133, B=48, H=68, S=45 cm) **56 6467**



RIBSTAR PRO

These RIBs with a waterproof bow storage compartment and a horizontal interior floor from the „Ribstar Pro“ model range are ideal sports and tender boats. They have a sturdy GFK keel seamlessly connected to the transom to ensure the highest stability. The ribs on the V-hull provide excellent steering control. D-rings for mooring and ring-eyelets at the transom and hull floor for lifting the boat complete this series.

i Info: The RIBSTAR PRO 350 can be approved for up to 25 HP when equipped with remote steering, such as our Jockey seat 566467, for example.

| | |
|------------------------|--|
| RIBSTAR pro | 350 |
| Overall length | 348,0 cm |
| Overall width | 176,0 cm |
| Tube diameter | 47,5 cm |
| Air chambers | 3 |
| Weight | 86,0 kg |
| Load capacity | 600 kg |
| Number of persons | 4 |
| Max. KW / HP | with tiller 11,2/15 with remote control 18,4/25 |
| Max. motor weight | 83 kg |
| PVC white/darkblue/red | |
| Order no. | 97 7998 |

Errors and technical modifications excepted.



Rubbing strake also on keel


RIBSTAR ALU MADE OF PVC WITH AN ALUMINUM V-HULL.

RIBSTAR ALU WITH V-HULL AND V-BOTTOM



| RIBSTAR ALU | 240 | 270 | 310 |
|-------------------|------------|------------|------------|
| Overall length | 242 cm | 286 cm | 307 cm |
| Overall width | 159 cm | 159 cm | 159 cm |
| Tube diameter | 42 cm | 42 cm | 42 cm |
| Air chambers | 3 | 3 | 3 |
| Weight | 39 kg | 48 kg | 58 kg |
| Load capacity | 380 kg | 425 kg | 495 kg |
| Number of persons | 3 | 3,5 | 4,5 |
| Max. zul. kW/PS | 3,7/5 | 7,4/10 | 14,7/20 |
| Colour | withe/grey | withe/grey | withe/grey |
| Floor coating | Standard | Standard | Standard |
| Order no. | 97 8756 | 97 8758 | 97 8762 |

RIBSTAR ALU PRO WITH V-HULL AND HORIZONTAL INTERIOR FLOOR



| RIBSTAR PRO ALU | 270 | 310 | 340 |
|-------------------|------------|------------|--------------|
| Overall length | 265 cm | 307 cm | 340 cm |
| Overall width | 159 cm | 159 cm | 154 cm |
| Tube diameter | 42 cm | 42 cm | 41 cm |
| Air chambers | 3 | 3 | 3 |
| Weight | 48 kg | 58 kg | 65 kg |
| Load capacity | 425 kg | 495 kg | 550 kg |
| Number of persons | 3,5 | 4,5 | 4,5 |
| Max. zul. kW/PS | 7,4/10 | 14,7/20 | 14,7/20 |
| Colour | withe/grey | withe/grey | withe/grey |
| Floor coating | Standard | Standard | Full-surface |
| Order no. | 97 8759 | 97 8763 | 97 8766 |


RIBSTAR ALU MADE OF HYPALON WITH ALUMINUM V-HULL

RIBSTAR ALU WITH V-HULL AND V-BOTTOM



| RIBSTAR ALU | 240 | 270 | 310 |
|-------------------|------------|------------|------------|
| Overall length | 242 cm | 286 cm | 307 cm |
| Overall width | 159 cm | 159 cm | 159 cm |
| Tube diameter | 42 cm | 42 cm | 42 cm |
| Air chambers | 3 | 3 | 3 |
| Weight | 39 kg | 48 kg | 58 kg |
| Load capacity | 380 kg | 425 kg | 495 kg |
| Number of persons | 3 | 3,5 | 4,5 |
| Max. zul. kW/PS | 3,7/5 | 7,4/10 | 14,7/20 |
| Colour | withe/grey | withe/grey | withe/grey |
| Floor coating | Standard | Standard | Standard |
| Order no. | 97 8757 | 97 8760 | 97 8764 |

RIBSTAR ALU PRO WITH V-HULL AND HORIZONTAL INTERIOR FLOOR



| RIBSTAR PRO ALU | 270 | 310 | 340 |
|-------------------|------------|--------------|--------------|
| Overall length | 265 cm | 307 cm | 340 cm |
| Overall width | 159 cm | 159 cm | 154 cm |
| Tube diameter | 42 cm | 42 cm | 41 cm |
| Air chambers | 3 | 3 | 3 |
| Weight | 48 kg | 58 kg | 65 kg |
| Load capacity | 425 kg | 495 kg | 550 kg |
| Number of persons | 3,5 | 4,5 | 4,5 |
| Max. zul. kW/PS | 7,4/10 | 14,7/20 | 14,7/20 |
| Colour | withe/grey | withe/grey | withe/grey |
| Floor coating | Standard | Full-surface | Full-surface |
| Order no. | 97 8761 | 97 8765 | 97 8767 |



RIBSTAR DELUXE

Get in, take a deep breath, and arrive. The familiar Ribstar DELUXE is back! Enjoy elegant yet easy-to-handle boating at your favorite places. With a maximum power of 50 HP, you can relax on the water, but it's also excellent for water skiing or tubing. The padded seats and the steering console are included. At the bow, you'll find a bow compartment or anchor locker and a bow roller to make anchoring easier. There's also a retractable cleat for mooring on the bow platform.



| | |
|-----------------------|----------------|
| RIBSTAR DELUXE | 410 |
| Overall length | 405 cm |
| Overall width | 191 cm |
| Tube diameter | 47 cm |
| Air chambers | 3 |
| Weight | 190 kg |
| Load capacity | 840 kg |
| Number of persons | 5 |
| Max. KW / HP | 36,8/50 |
| Max. motor weight | 110 kg |
| Order no. | 97 8002 |


Errors and technical modifications excepted.



FOLDABLE TRANSPORT & SLIP BIKES

These new transport and slip wheels are made of a durable plastic and are screwed directly to the mirror of the rubber boat. The wheels, which have a diameter of 140 mm, can be positioned in three positions by means of spring tension.

56 3457



INFLATABLE WHEELS



These wheels for manual trailer of rubber dinghies come complete with precise mounting instructions for the rear mirror. The special mounting and the special connecting parts allow for easy folding up and locking of the wheels, which can remain at the stern while in the water. Removal is also easy. Diameter of the air wheels 360 mm.

Maximum load capacity 180 kg

| Model | Hight | Weight | Order no. |
|-------------------------------|-------|--------|-----------|
| Universal | 70 cm | 6,0 kg | 56 3445 |
| for Allroundmarin-Inflatables | 80 cm | 6,2 kg | 56 3495 |

TUG WAGON



This inflatable tug wagon is made of galvanised steel pipe with plastic coating. An ideal complement to our trailer wheels, allowing even one person to transport an inflatable boat comfortably.

| Model | Order no. |
|-----------|-----------|
| Tug wagon | 56 3446 |

| | Diameter | Order no. |
|--|----------|-----------|
| Spare airwheel | 360 mm | 56 3447 |
| Spare wheel made of plastic for sandy soil | 390 mm | 56 3448 |

WHEELS FOR INFLATABLES (MODEL DYNAMIC)



Fold-up transport and slip wheels, assembly parts and shaft made of NIROSTA AISI 316. Special mounting and connecting parts allow the wheels to be easily folded up when driving in the water and to be folded down for slips and transport on land. Wheels Ø 26 cm, weight 5.8 kg, maximum load 100 kg, tube Ø 30 mm.

56 3454

TUG WAGON 360° ROTATABLE

This tug wagon made of galvanised steel pipe and air wheels 260x85 mm can be dismantled and the drawbar can be rotated 360°.



An ideal combination in combination with inflatable boat wheels on the stern, allowing the boat to be transported with just one person. Load capacity 100 kg

97 8482

THE ULTIMATE INFLATABLE BOAT WHEELS

These Inflatable and dinghy wheels are a simple but robust option for transporting inflatable boats, but also lightweight aluminium boats, to the beach while avoiding having to carry the heavy load completely. The wheels have easy locking and unlocking options in the lower and upper positions. The wheels and the axle section can be easily and conveniently removed from the mirror or from the fixed locking brackets in order to keep them protected from the sun when the boat is not in use.

- Made of UV resistant and fiberglass Reinforced plastic
- Weight only 4 kg
- Recommended for boats up to 3.6 meters
- Recommended working load up to 100 kg incl. Outboard up to 9,9 hp
- Simple installation and assembly
- Easy locking and unlocking of wheels
- Multiple wheel positions adjustable
- Wheel diameter 25 cm, width 10 cm
- Connection elements and axles made of Stainless steel



| | Color | Order no. |
|-------------------|-------|-----------|
| Inflatable wheels | black | 91 5280 |

KAYAK AND INFLATABLE BOAT TRANSPORT AND SLIP TROLLEYS MODEL C-TUG

This new transport trolley model C-TUG is a hit for kayaks and small rubber dinghies. It is made of high quality polymer and is therefore completely stainless. The axles are made of NIRO steel. The contact surfaces are infinitely adjustable and can therefore be adapted to any keel shape. The contact surface of the C-TUG is provided with a special coating which prevents a kayak or a small rigid boat from sliding. On the 10" (25.4 cm) wheels, a ribbed rubber profile is vulcanised so that a smooth ride is guaranteed even on hard surfaces such as asphalt. The wheels are secured by captive clips. A foldable centre support keeps the trolley in position so that the kayak or dinghy can be placed without the assistance of a second person.



After slipping into the water, the belt can be loosened and the C-TUG can be lifted sideways into the boat. The C-TUG can be disassembled in about 20 seconds without the use of tools and stowed away in a small space.

Scope of delivery incl. 2-piece belt (1,2 + 1,6 m)

Technical data:

| | |
|-----------------------------------|-----------------|
| Width over all | 62,00 cm |
| Height with flat contact surfaces | 33,00 cm |
| Wheel diameter / width | 25,4 x 9,10 cm |
| Weight without packaging | 3,90 kg |
| Weight incl. packing box | 4,20 kg |
| Size of the box | 58 x 27 x 19 cm |
| Load capacity per C-TUG | maximum 120 kg |

| Model incl. 2-piece Belt (2,8m) | Order no. |
|--|-----------|
| C-TUG transport/slip trolleys | 91 5130 |
| C-TUG transport/slip trolleys with sand wheels | 91 5099 |

| | |
|--|---------|
| Replacement wheels for C-TUG (pair) | 91 5133 |
| Replacement wheels for sandy soil (pair) | 91 5216 |

| | |
|---|---------|
| Replacement belt 1,20 + 1,60 m with metal buckles and 2x ladder buckles | 91 5086 |
|---|---------|

| | |
|--|----------|
| Extension belts 2 x 1,25 m mit 2x ladder buckles | 91 5119* |
| Extension belts 2,50 m, mit 1x ladder buckle | 91 5064 |

| | |
|-----------------|---------|
| Connection axis | 91 5242 |
|-----------------|---------|

GE BTP-2



Air pump with manometer and auto-stop when set pressure is reached. Air filter, easy to clean and replace. Can inflate and drain. Voltage: 12V, current consumption 14,5 A.

Scope of delivery: Carrying bag, adapter also for inflatables and SUPs, power cable with frog clamps, pressure gauge, 1,7m air hose and 3m cable. Dimensions: 29,5x10,5x16 cm

| Performance | max. pressure | Order no. |
|---------------|-------------------|-----------|
| 120-420 l/min | 1,0 bar (13,8psi) | 80 1295 |

GE10-8 12V



Electric 12 volt air pump which can be adjusted up to max. 0.8 bar (11.6 psi). The pump stops automatically when the set pressure is reached. This pump can be used to fill and drain e.g. large inflatable boats, swimming pools, big regatta buoys. Now with new electronics, reduced power consumption! This allows us to guarantee a higher reliability. Power consumption: 13 amp.

Scope of delivery: Carrying bag, hose, adapter for most common valves, crocodile clips and cigarette lighter.

| Performance | max. pressure | Weight | Dimensions | Order no. |
|-------------|-------------------|--------|-------------|-----------|
| 450 l/min | 0,8 bar (11,6psi) | 1,9 kg | 18x20x24 cm | 80 1285 |

GE 10-B incl. battery 12V

Electric air pump with integrated 12V, 7Ah battery.

Scope of delivery: Carrying bag, charging cable, hose, adapter cross for various valves.

| Performance | max. pressure | Weight | Dimensions | Order no. |
|-------------|-------------------|--------|-------------|-----------|
| 450 l/min | 0,8 bar (11,6psi) | 4,8 kg | 18x20x30 cm | 80 1286 |

GE 20-2 12VOLT



Electric air pump with integrated 12V DC battery, which can be charged with a cigarette lighter or standard 110-240 AC / DC adapter. For inflating and draining. The device stops when the set pressure is reached. Incl. LED display. The pump can also be operated with an external battery (crocodile clips).

Scope of delivery: Carrying bag, hose, valve adapter, crocodile clips, plug for cigarette lighter, power plug.

| Performance | max. pressure | Weight | Dimensions | Order no. |
|-------------|-----------------|--------|-------------|-----------|
| 125 l/min | 1,5 bar (20psi) | 6,7 kg | 20x32x22 cm | 80 1296 |

More products in Catalog A 22/23 Page 314-316

GE BP-1



This air pump is specially designed for SUPs and has an auto-stop when the set pressure is reached. This pump can only be filled. Adapter kit, see below. **Scope of delivery:** Carrying bag, adapter, power cable for cigarette lighter and frog clamps for 12V battery, 1.7m air hose and 3m cable.

Voltage: 12V, current consumption 13A. Dimensions: 20,5x10,5x13 cm

| Performance | max. pressure | Order no. |
|-------------|-----------------|-----------|
| 160 l/min | 1,2 bar (18psi) | 80 1292 |



AIR PUMP ACCESSORIES



Air pump adapter for Halkey Roberts (HR), BRAVO 2001 or similar inflatable valves. With locking claws and graduated hose grommets, suitable for foot and hand pumps. Not to be used for electric pumps. **80 1344**

Adapter for various valve sizes



for Bravo hand or foot pumps **56 6450**



Adapter with crossbar, for electric pumps **80 1349**



Air pumps Adapters for air mattresses, tubes and similar **80 1348**



Air pump adapter for Halkey Roberts (HR), with crossbar for electric pumps **80 1347**

INFLATABLE SEAT CASTORS FOR INFLATABLE BOATS



Size 1 suitable for Jolly 200 / 220
Size 2 suitable for AS 265/300/330 und Jolly 270

| Length x Diameter | Order no. |
|--------------------|-----------|
| Size 1: 67 x 32 cm | 56 6464 |
| Size 2: 70 x 35 cm | 56 6465 |

ALLROUNDMARIN INFLATABLE INFLATABLE SEATS



The seats fit well to the tube end and are made of the same material as the dinghies themselves. Supplied complete with fixing strap, eyelets and valve. Suitable for many boat types. Colour light grey.

Size 1 suitable for AS265/300/330, Dynamic 260/310 and Ribstar 240/290/320

Size 2 suitable for Dynamic 350/380, AS 360/380, Vario 320/360

Size 3 suitable for Poker 430/460

| For boats Internal width | Order no. |
|--------------------------|-----------|
| Size 1: 65-75 cm | 56 6461 |
| Size 2: 80-85 cm | 56 6462 |
| Size 3: 95 cm | 56 6452 |

FRONT POCKET AND SPLASH GUARD FOR INFLATABLE BOATS



This bow splash guard can be easily mounted on many inflatable boats. An ideal and practical storage space with zipper for various objects to protect them from splash water.

| | Color | Order no. |
|----------------------------|-------|-----------|
| S.1 f.e. for AS 330 | grey | 97 8407 |
| S.2 f.e. for AS 360/380 | grey | 97 8408 |
| S.3 f.e. for POKER 430/460 | grey | 97 8409 |
| für boat width 150-155 | grey | 97 8750 |
| für boat width 150-155 | green | 97 8751 |

HANGING BAG FOR INFLATABLE SEATS



An ideal way to store clothes or various items splash-proof. The hanging bag can be closed with a zip.

| Seat length | Order no. |
|----------------|-----------|
| Size 1: 60 cm | 97 8406 |
| Size 2: 85 cm | 97 8745 |
| Size 3: 100 cm | 97 8405 |
| Size 4: 120 cm | 97 8746 |

HANGING BAG WITH PADDING FOR INFLATABLE SEATS



Pocket with padded seat available in 2 sizes

Size 1 with 6 pockets and 2 holders for glasses or beverage cans

Size 2 with 6 pockets and 4 holders for glasses or beverage cans

| Seat width | Order no. |
|---------------|-----------|
| Size 1: 40 cm | 97 8403 |
| Size 2: 65 cm | 97 8404 |

COVER FOR INFLATABLE BOATS AND SMALL BOATS



Made of strong nylon material, light in weight, complete with rim line.

Color grey.

| Length cm | Order no. | Length cm | Order no. |
|-----------|-----------|-----------|-----------|
| 200 cm | 97 8412 | 330 cm | 97 8417 |
| 220 cm | 97 8413 | 360 cm | 97 8418 |
| 240 cm | 97 8414 | 380 cm | 97 8419 |
| 260 cm | 97 8415 | 430 cm | 97 8424 |
| 300 cm | 97 8416 | 460 cm | 97 8425 |



Adapter kit for pump GE BP-1 **80 1287**

12 V Battery-set for air pumps

Consisting of special batteries, charger and mains adapter



For air pumps BP12 & BTP 12

| Ah | Battery | charg. cycle | Order no. |
|----|---------|--------------|-----------|
| 8 | Ni-Mh | 800 | 80 1354* |

For air pumps GE BP & GE BTP

| Ah | Battery | charg. cycle | Order no. |
|----|----------------|--------------|-----------|
| 10 | Ni-Mh | 800 | 80 1308 |
| 9 | BP- Blei/Säure | 400 | 80 1309 |

| | |
|---------------------|---------|
| Cover for Vario 300 | 97 8410 |
| Cover for Vario 320 | 97 8523 |
| Cover for Vario 360 | 97 8524 |
| Cover for Vario 390 | 97 8525 |
| Cover for Kiwi 249 | 97 8518 |
| Cover for Kiwi 260 | 97 8519 |
| Cover for Kiwi 280 | 97 8520 |
| Cover for Kiwi 300 | 97 8521 |
| Cover for Kiwi 320 | 97 8522 |

* As long as stocks last | Errors and technical modifications excepted.

REPAIR KITS

For **PVC boats**, set complete with glue, patch and box (In the case of PVC repairs only clean, not sanded).

For Inflatables

| Color | Order no. |
|--------------|-----------|
| light grey 3 | 97 8143 |
| dark grey 7 | 97 8182 |
| white | 97 8144 |
| camouflage | 97 8456 |
| red | 97 8145 |
| yellow | 97 8142 |
| green | 56 3198 |
| blue | 97 8499 |
| black | 97 8183 |
| olive/black | 97 8795 |
| grey/black | 97 8796 |

For SUP's

| Color | Order no. |
|-------------|-----------|
| red/white | 97 8507 |
| blue/white | 97 8508 |
| yellow/blue | 97 8509 |



For **Neoprene / Hypalon boats**, set complete with glue, sandpaper, wood putty and various stickers. Colours:

| Color | Order no. |
|--------|-----------|
| orange | 56 3195 |
| grey | 56 3197 |
| black | 56 3204 |
| white | 56 3199 |



REPAIR CASE



In the new repair kit for PVC Allroundmarin inflatables you will find useful accessories for emergencies. The lockable case consists of:

| Equipment | Piece |
|---------------------------------------|---------|
| Replacement air valve - Halkey Robert | 1 |
| Roderdorn | 2 |
| Bilge valve incl. stubble | 1 |
| PVC angle for seat board | 2 |
| Rubber seal | 2 |
| Order no. | 97 8506 |

2-COMPONENT ADHESIVE

The safe adhesive for all repair work on rubber dinghies, as well as for gluing Railblaza Ribports on rubber dinghies hard air kayaks and SUPs.

Please follow the instructions and the warnings and hazards on the packs.



Adhesive set complete with cleaner, hardener and glue, brush, gloves, PVC patch.

| Model | Amount | Order no. |
|---------------------|--------|-----------|
| PVC auf PVC | 125 ml | 97 81402 |
| Hypalon auf Hypalon | 125 ml | 97 81401 |



Adhesive set complete with primer (cleaner), hardener and adhesive. For **Hypalon-Hypalon, PVC-PVC and PVC-Hypalon**

| Model | Amount | Order no. |
|----------|--------|-----------|
| Adhesive | 100 ml | 97 8140 |



Mr. Kraken 2-component adhesive set with hardener and adhesive

| Model | Amount | Order no. |
|--------------------|--------|-----------|
| PVC on PVC | 100 ml | 97 7013 |
| PVC on PVC | 250 ml | 97 7014 |
| Hypalon on Hypalon | 100 ml | 97 7015 |
| Hypalon on Hypalon | 250 ml | 97 7016 |

1-COMPONENT ADHESIVE



Box incl. brush in cap

| Model | Amount | Order no. |
|------------|-----------|-----------|
| PVC on PVC | Can 200ml | 97 7011 |
| PVC on PVC | Tube 30g | 97 7010 |

MR-KRAKEN CLEANER



PVC / Hypalon cleaner for inflatable boats
Easy to use PVC and Hypalon cleaner. Easily removes stubborn dirt, white coating and grease from PVC and Hypalon.

Hazard statement: H315, H318, P264, P280, P302+P352, P305+P351+P338, P310, P332+P313

| | Amount | Order no. |
|-----------------------|--------|-----------|
| PVC / Hypalon Cleaner | 650 ml | 65 2376 |



Protection wax for inflatable boats

It provides UV radiation protection as well as protection against breakage, prevents bleaching and discoloration of the material.

Hazard statement: P264, P271

| | Amount | Order no. |
|----------------|--------|-----------|
| Protection wax | 650 ml | 65 2377 |

INFLATABLE BOAT AND SPRING CLEANERS

Cleans and protects all types of PVC, rubber and hypalon. Removes dirt, shoe stains, oil and water pass. Protects against UV damage and prolongs life.



Hazard statement: H319, H412, P101, P102, P262, P305+P351+P338, P337+P313, P273-P501a

| | Amount | Order no. |
|---------|--------|-----------|
| Cleaner | 1L | 65 3012 |
| Cleaner | 250ml | 65 3018 |

INFLATABLE BOAT CLEANER EXTRA STRONG

Restores the original appearance of inflatable boats aged by sun, moisture, saltpeper and sunscreen. Safe use on all types of inflatable boat materials such as PVC, hypalon or neoprene. Solvent-free.



| | Amount | Order no. |
|----------------------|--------|-----------|
| Cleaner extra strong | 1L | 65 3020 |